

Thermocouples

Q340A Series - Universal

Honeywell



- Used in gas fired heating systems
- Replaces almost any 30mV thermocouple
- Average operating life of 10 years
- Each thermocouple comes with an adapter
- Positive Positioning - Special shoulders on the adapter & thermocouple stop the tip in exactly the right position relative to the flame. No alignment by eye or by trial and error.
- Fewer Fittings - Just the universal adapter and extra push-in clip are all you need
- Bottom Lock Design - In all cases the Q340 installs from the bottom with one hand

Lead Length	Brand	Part Number
18"	Honeywell	Q340A1066
24"	Honeywell	Q340A1074
30"	Honeywell	Q340A1082
36"	Honeywell	Q340A1090
48"	Honeywell	Q340A1108

Q370A & 1960-027 - Quick Dropout

Honeywell *Robertshaw*



- Designed for applications of various pilot burners to prove the presence of the pilot flame in a gas heating control equipment
- Also used on applications that require an oxygen depletion system on the thermo safety

Description	Lead Length	Brand	Part Number
Universal, includes 8 adapters Dropout Time: 30 seconds	36"	Honeywell	Q370A1014
Note: Will Not Fit Applications with metric threads	27"	Robertshaw	1960-027

2000 Series - Snap Fit

Robertshaw



- Easy installation
- Stainless steel tip for longer life
- Copper tube provides additional corrosion protection with low electrical resistance
- Lock washer maintains tight connection and resists vibration loosening

Lead Length	Brand	Part Number
24"	Robertshaw	2000-24
36"	Robertshaw	2000-36
48"	Robertshaw	2000-48
72"	Robertshaw	2000-72

Thermocouples

White
Rodgers

H06E Series - Universal Replacement



- High temperature stainless steel for prolonged life
- Universal adapter fitting and clip included in each kit for replacing thermocouples in most types of pilot burners
- Quick, easy installation

Lead Length	Brand	Part Number
18"	White Rodgers	H06E-18
24"	White Rodgers	H06E-24
30"	White Rodgers	H06E-30
36"	White Rodgers	H06E-36
48"	White Rodgers	H06E-48

K16 Series - "Husky" High Performance



- Heavy duty high performance thermocouple provides high output for residential, commercial and industrial applications
- The "Husky" is a replacement for Baso 17D, 50, 58D, 87D, 88D, 97D, 107D, & K15DA
- Packed with adapters to effect the necessary replacement
- Millivoltage Range: 25-35mV

Description	Lead Length	Brand	Part Number
Universal Replacement, Multi-mount	24"	Baso	K16BT-24H
Universal Replacement, Multi-mount	36"	Baso	K16BT-36H
Junction Box Leads	36"	Baso	K16FA-36H
Nickel Plated	24"	Baso	K16RA-24H
Nickel Plated	36"	Baso	K16RA-36H
Nickel Plated	48"	Baso	K16RA-48H
Nickel Plated	72"	Baso	K16RA-72H
Universal Replacement, Multi-mount Supplied with additional fittings	72"	Baso	K16WT-72H




For Thermocouple Test Adaptor See Test Instruments

Thermopiles

Thermopile Generators

Honeywell



- Contains multiple thermocouples connected in series to increase the millivoltage output. The power generated is sufficient to operate an automatic millivolt gas control system, independent of any outside power source
- Push-in clip, split nut and adapter assembly for easy pilot burner installations
- Male nut connector for Pilotstat® safety control power units
- Voltage: 750mV

Lead Length	Connection Type	Includes	Used With Pilot Burners	Brand	Part Number
35"	Spade Terminals	Attaching nut, push-in clip, PG9 adapter	Q314, Q324, Q327, Q377, Q379, Q382	Honeywell	Q313U3000
47"	Spade Terminals	1/2" Thermopile Attaching Nut	Q314, Q324, Q327, Q377, Q379 & Q382	Honeywell	Q313A1055

Thermopile Generators

Robertshaw




1950-001



PG9 Pilot Adapter


- Designed for use on self powered gas control systems
- Voltage: 250-750mV

Lead Length	Connection Type	Includes	Brand	Part Number
36"	Spade Terminals	Mounting Nuts & PG9 Pilot Adapter	Robertshaw	1950-001
48"	Spade Terminals	Mounting Nuts & PG9 Pilot Adapter	Robertshaw	1950-002
60"	Spade Terminals	Mounting Nuts & PG9 Pilot Adapter	Robertshaw	1950-003
36"	Coaxial	Mounting Nuts	Robertshaw	1951-536



Thermopile Generators

White Rodgers



G01A-132

101934F32

- Provides power for self generation control systems
- For replacement of similar screw-in type generators now in field or for use with type E31-12 pilot burner
- Armored cable leads
- Voltage: 750mV

Lead Length	Connection Type	Description	Brand	Part Number
36"	Spade Terminals	Includes PG9 Adapter	White Rodgers	G01A-132
32"	Spade Terminals	OEM for use with PG9	White Rodgers	101934F32