

Water Heater Elements

Screw-In - High Watt Density - Standard



- 150+ watts per square inch
- 1" NPSM - Fits most screw in type water heaters
- Includes gasket (06822)
- Terminal box not included
- 1 year limited warranty

Watts @ 240V	Watts @ 208V	Watts @ 120V	Nominal Volts	Minimum Tank Diameter	Brand	Part Number
		1000	120	8"	Camco	02103
		1500	120	9"	Camco	02143
1500	1200		240	9"	Camco	02163
		2000	120	9"	Camco	02203
2000	1500		240	9"	Camco	02223
2500	2000		240	10"	Camco	02243
3000	2250		240	12"	Camco	02263
3500	2500		240	14"	Camco	02283
4000	3000		240	15"	Camco	02303
4500	3500		240	15"	Camco	02343

Threaded NPT - Tapered



- Straight & fold back style
- 1" tapered brass plug, copper sheath
- Comes with junction box

Watts	Volts	Element Length	Brand	Part Number
1000	120	7"	Caloritech	CXC10640-07
1500	120	10 1/2"	Caloritech	CXC10640-13
1500	240	10 1/2"	Caloritech	CXC10640-15
2000	240	7 1/2"	Caloritech	*CXC10640-24
3000	208	10 3/4"	Caloritech	CXC10640-29
3000	240	10 3/4"	Caloritech	*CXC10640-30
3000	208	6"	Caloritech	*CXC10640-32
4500	240	8 1/4"	Caloritech	*CXC10640-39
5000	208	9"	Caloritech	*CXC10640-44
5000	240	9"	Caloritech	CXC10640-45
6000	208	20 1/2"	Caloritech	CXC10640-47

* Indicates fold back style element

Water Heater Elements

Screw-In Foldback - Lime Life Ultra Low Watt Density - Premium



- Fold back style for use with high mineral content water
- 50 watts per square inch
- 1" NPSM - Fits most screw in type water heaters
- Includes gasket (06822)
- Resists dry firing
- 5 year limited warranty

Watts @ 240V	Watts @ 208V	Nominal Volts	Minimum Tank Diameter	Brand	Part Number
2500	2000	240	12"	Camco	02903
3500	2500	240	15"	Camco	02913
4500	3500	240	15"	Camco	02923

Universal Flange Foldback - Lime Life Ultra Low Watt Density - Premium



- Fold back style for use with high mineral content water
- 50 watts per square inch
- 4 bolt flanged
- Includes gasket (06822)
- Resists dry firing
- 5 year limited warranty

Watts @ 240V	Watts @ 208V	Nominal Volts	Minimum Tank Diameter	Brand	Part Number
4500	3500	240	15"	Camco	04943

Screw-In Foldback - Low Watt Density - For Duron® Tank Water Heaters



- 1 3/8" thread screw-in style for the State Industries manufactured Duron tank water heaters. Also used in Sears Duron tank water heaters
- 1 year limited warranty

Watts @ 240V	Watts @ 208V	Nominal Volts	Minimum Tank Diameter	Brand	Part Number
3800	3000	240	13"	Camco	02713

Round Head (Stillman)



- Push-in style
- Comes with 06812 gasket

Watts	Volts	Minimum Tank Diameter	Brand	Part Number
1500	240	8"	Camco	03123
2000	120	8"	Camco	03183

Water Heater Elements

Universal Flange - High Watt Density - Standard



04363

- High watt density 150+ watts per square inch
- Straight & fold back style
- 4 bolt flanged
- Includes gasket (06882) [CXC10632-30 includes gasket (06902)]
- Replaces flat or round head elements
- 1 year warranty

Watts @ 240V	Watts @ 208V	Watts @ 120V	Nominal Volts	Minimum Tank Diameter	Brand	Part Number
		1500	120	9"	Camco	04363
1500	1200		240	8"	Camco	04383
		2000	120	9"	Camco	04443
2500	2000		240	10"	Camco	04483
3000	2250		240	12"	Camco	04503
3500	2500		240	14"	Camco	04523
4500	3500		240	15"	Camco	04603

4 Bold Flanged (wide spaced element)



- Elements are wide spaced to prevent buildup of scale
- Comes with resistor
- Comes with 06902 gasket

Watts	Volts	Minimum Tank Diameter	Brand	Part Number
3000	240	11 7/16"	Alltemp	39-F3000

Open Coil Dry Water Heater Element - Premium



- Heavy gauge nichrome wire with spot weld terminals
- Seven insulators
- Used in trailer water heaters

Watts	Volts	Insulators	Minimum Tank Diameter	Brand	Part Number
1500	120	7	12 3/4"	Camco	05741

Water Heater Parts & Accessories


Adapter Kit - Universal



- Converts screw-in to replace round head, flat and universal flange

Kit Includes	Brand	Part Number
(1) 2 1/2" 4-bolt adapt-a-flange, (1) four hole gasket, (1) screw-in gasket, (1) thermostat bracket, (1) 5/16" - 18 5/8" Hex washer - Relok	Camco	07223

Brackets



- For universal, flat, and round head applications

Description	Brand	Part Number
Universal & flat thermostat bracket	Camco	06692
Round head thermostat bracket	Camco	06702

Anode Rod



- Standard universal style
- Fits into top of water heater to prevent corrosion
- Adds life to water heater and elements
- Easy to install
- Can be cut to fit any size water heater tank

Description	Brand	Part Number
5/8" Diameter, 42" length aluminum anode rod	Camco	11572

Dielectric Union



- Prevents electrolysis or galvanic action when connecting dissimilar materials
- Threaded ends comply with ANSI B.1.20.1
- For use with water up to 210F
- Solder ends comply with ANSI B1.6.18

Description	Size	Brand	Part Number
Female x Solder	3/4"	Aqua-dynamic	3168-004
Female x Solder	1"	Aqua-dynamic	3168-005



Water Heater Parts & Accessories

Dip Tube Threaded Water Inlet



- Support area flared
- Can be cut to desired length
- Anti siphon hole breaks damaging siphon action

Description	Brand	Part Number
48" vertical threaded dip tube	Camco	11162

Drain Valve




11513

11523

- Fits directly into water heater for easy draining
- Permanent installation

Description	Brand	Part Number
Brass, 3/4" MPT x 3/4" male hose thread 2 1/2" long	Camco	11513
Plastic, 3/4" MPT x 3/4" male hose thread 2 1/2" long	Camco	11523


Gaskets



- Various gaskets for water heater elements

Description	Brand	Part Number
Thin round gasket (OD 1.375", ID 1.1875", thickness .125")	-	14E1053
Screw-in gasket (OD 1.425", ID 1.225", thickness 0.165")	Camco	06822
Thick round gasket (OD 1.625", ID 1.1875", thickness 0.50")	Camco	06842
Universal gasket (OD 1.625", ID 1.1875", thickness 0.40")	Camco	06882
4 hole gasket (ID 1.5625", thickness 0.1")	Camco	06902

Runoff Tubes



- Thermoplastic tubes can be cut to desired length & include a gasket

Description	Brand	Part Number
Side Mount	Camco	10862
Top Mount	Camco	10952
Centre Top Mount	Camco	10962

Water Heater Parts & Accessories

Switch



- Off and On switch
- Universal snap in for 110 volt

Description	Brand	Part Number
Off and On action	Camco	07002


Gas Water Heater Controls (Uni-Kits) - Universal Replacement



- Built in non-cycling E.C.O. (Energy Cut Off) system to shutoff all gas to the water heater in case of excessive water temperatures
- Temperature High Stop: 160F
- Sensing Element: 5 1/2"

Inlet Size	Outlet Size	Shank Length	Regulator Setting	Brand	Part Number
Total Regulation Domestic Uni-Kits - 35K Capacity - Right Hand Threads					
1/2" Pipe	1/2" Inv. Flare	1 1/2"	3.5" WC Nat Gas	Robertshaw	110-C309
1/2" Pipe	1/2" Inv. Flare	1 1/2"	10" WC LP Gas	Robertshaw	110-C319

Gas Water Heater Controls - Replacement



- For replacement of standard gas water heater controls with built in non-cycling E.C.O. (Energy Cut Off)
- Automatic shut-off of main and pilot gas in the event of pilot failure
- Pilot gas cock with safe lighting feature and filter
- Temperature adjustment
- Fixed pilot regulator setting
- Manifold pressure tap
- Temperature Range: 70-160F (21-71C)
- Mounting: 3/4" NPT
- Sensing Element: 4 1/2" bulb
- Pilot Connection: 1/4" compression fitting
- Outlet adapter fittings included


Inlet Size	Outlet Size	Shank Length	Regulator Setting Main Burner	Brand	Part Number
Right Hand Threads on Outlet					
1/2" NPT	1/2" Inv. Flare	1 1/4"	3.5" WC Nat Gas (AO Smith Style)	White Rogers	37C73U-168

Water Heater Parts & Accessories

Electric Limit & Thermostats - Universal Replacement



754-2




756-2

- Surface mount
- High electrical capacity
- Snap action contact
- Long life
- UL & CSA recognized

Description	Switch Action	Temperature Range	Electrical Ratings			Brand	Part Number
			120/240 VAC	277 VAC	480 VAC		
DPST limit, manual reset	Open on Rise	77C (170F) fixed	-	40.0A	25.0A	White Rodgers	754-1
SPDT adjustable thermostat	Open 1-2 on Rise	32 to 66C (90 to 150F)	30.0A	25.0A	12.5A	White Rodgers	756-1


Thermodisc Thermostats - Apcom



07723



07843



07863

- UL listed
- Meets original specification lengths for American, AO Smith, Bradford White, GE, GSW, Kenmore, Maytag, Reliance, Rheem, Richmond, Rudd, Sears & State
- Energy efficient range setting
- Built-in safety switch to prevent overheating

Description	Apcom Style	HLC	Terminal Protector	Application Voltage	Brand	Part Number
Thermostat, Upper	WH10A	Yes	Yes	240/208/120	Camco	07863
Thermostat, Lower	WH9	-	Yes	240/208/120	Camco	07723
Thermostat, Single Element	WH9	Yes	Yes	240/208/120	Camco	07843