

July 20, 2018



Davies

since 1931

SUPER SAVINGS



- Limited quantities, availability may vary by branch
- Quantity listed may not be available at time of order
- Absolutely no rain checks or backorders to manufacturer

Davies Supply
Group Ltd.
www.daviessg.com

Calgary (800) 661-1346
(403) 244-2161
cgyorders@daviessg.com

Lethbridge (877) 595-7707
(403) 381-7707
laorders@daviessg.com

Saskatoon (877) 355-3377
(306) 933-2433
skorders@daviessg.com

INDEX

Blowers & Blower Wheels	B1
Boiler Tests & Treatments	B1
Circulator Pumps & Circulator Valve.....	B2
Compressors.....	B2
Contactors.....	B2
Fans	B2
Furnace (Electric)	B3
Gas Valves	B3
Hot Surface Ignitors.....	B3
Humidifiers	B3
Humidistat	B3
Motors.....	B3-B6
Pumps.....	A1
Residential Backwashing Filters	A2
Residential Faucets	A2
SLOAN Products	A2
Tanks	A3
Temperature Controllers	B6
Thermostats	B6
Tools & Miscellaneous Service Items.....	B7
Tubing	A3
Valves	B8
Water Heater Parts.....	B8

Please Refer to Terms & Conditions

WATER TREATMENT, FLUID HANDLING & PLUMBING PRODUCTS



96061512



DS3HG



S10P4HS

Pumps			
Description	Qty Available	Part Number	
Booster Pumps			
J-Class Multi-Stage Booster Stainless Steel, 1 HP, 15 GPM 208-230/460V, three phase, 4 stage, 1-1/4" suction x 1" discharge	1	96061512	
Centrifugal Pump			
Sta-Rite ProStorm Series Cast Iron, 2 HP, 72 GPM, 115V/230V, single phase, 2" suction x 2" discharge	1	DS3HG	
Submersible Pump			
Sta-Rite 4" 3 Wire Submersible 10 GPM, 1 1/2 HP, 230V, 15 Stage	1	S10P4HS15231	

Pump Cable			
Description	Qty Available	Part Number	
TWU8-4 Strand Pump Cable	800 feet	8/4C	



WATER TREATMENT, FLUID HANDLING & PLUMBING PRODUCTS



Residential Backwashing Water Filters			
Description	Qty Available	Part Number	
Carbon Filter			
Activated Carbon, 2.0 media cubic ft., 12"x52" Resin Tank Size. Automatically Activated Electronic Time Clock Control with the GE Autotrol 263 Performa Valve and Logix 742 Control	2	CF20-742	
Sediment Filter			
nextSand™, 2.0 media cubic ft., 12"x52" Resin Tank Size. Automatically Activated Electronic Time Clock Control with the GE Autotrol 263 Performa Valve and Logix 742 Control	1	NS20-742	

Residential Faucet			
Description	Qty Available	Part Number	
Satin Nickel 905 Series - 1/4" fitting, 11.075" H, 4.75" spout reach, 1.76" base dia., 1/2" mounting hole dia.	1	87586	



SLOAN Products			
Description	Qty Available	Part Number	
EBV-157 Chrome Plated, Adapter Kit	1	0325192	
EBV144A Automatic Flushometer Repair Part, Solenoid Assembly, Toilets, Urinals, Old Style	2	2325462	
EBF615, Optima Plus Faucet, Infrared Sensor, Pedestal, Battery Powered	1	3315114	
G2RESS-C Optima Top Mount Retrofit Flushometer. 1.6/3.5 Flush Volume, Battery Powered	2	3325400	
G2 8111-1.28 Flush Volume, Water Closet Flush Valve, Battery powered, sensor activated	1	3250289	
ECOS 8111-1.6/1.1 Flush Volume, Water Closet Flush Valve, Battery powered, sensor activated	1	3370400	



3250289



3370400



3325400



0325192

WATER TREATMENT, FLUID HANDLING & PLUMBING PRODUCTS



Shower Filter		
Description	Qty Available	Part Number
Wall Mount Shower Filter - Chrome Finish, comes with filter cartridge installed	1	92702



Air Retention Tank (Flex-Lite)		
Description	Qty Available	Part Number
Air Retention Tank, 120 Gallon, Lightweight composite utility tank, top connection, 100 max psig, 120F max temp	2	FLU120EZ

Tubing - Sold by the Roll		
Description	Qty Available	Part Number
White Polyethylene Tubing Low Density, 100 ft. roll length, 85 max psi, 1/2" inside dia. 5/8" outside dia. 1/16" wall thickness	1	43131800
Clear Vinyl Tubing 100 ft. roll length, 55 max psi, 1/2" inside dia. 3/4" outside dia.	1	43132800



HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



CK-2



P-TK



G7BB



Boiler Tests & Treatments (Fernox)

Description	Qty Available	Part Number
Express Boiler Commissioning Kit	2	CK-2
Lime Scale Remover	4	DS-3
HVAC Commercial Cleaner	1	F3-10
Protector Test Kit	1	P-TK

Belt Drive Blowers - Double Inlet (Delhi)

Description	Qty Available	Part Number
Ball Bearing, 3/4" Shaft dia., 8 1/16" Wheel dia., 7 3/16" Wheel Width	1	G7BB
Direct Drive Blower - Double Inlet - With Motor & Drive Package	1	G9-DD

Blower Wheels

Description	Qty Available	Part Number
Single Inlet Wheels		
7 1/8" Outside dia., 4"W, CCW, 1/2" bore	1	1-6005
3" Outside dia., 1 7/8"W, CW, 1/4" bore	1	1-6038
3" Outside dia., 1 7/8"W, CCW, 1/4" bore	2	1-6039
3 13/16" Outside dia., 1 7/8"W, CCW, 1/4" bore	1	1-6040
3 13/16" Outside dia., 1 7/8"W, CW, 1/4" bore	1	1-6041
3 13/16" Outside dia., 2 1/2"W, CCW, 5/16" bore	1	1-6045
4 1/4" Outside dia., 2"W, CCW, 1/4" bore	1	1-6046
5 13/64" Outside dia., 2 29/32"W, CCW, 5/16" bore	3	1-6054
7 1/8" Outside dia., 2"W, CCW, 5/16" bore	1	1-6066
8 5/64" Outside dia., 4"W, CCW, 1/2" bore	3	1-6074
9 31/32" Outside dia., 4"W, CCW, 1/2" bore	2	1-6080
3 27/32" Outside dia., 1"W, CW, 1/4" bore	1	1-6113
4" Outside dia., 2 1/2"W, CCW, 1/4" bore	1	1-6133
Double Inlet Wheels		
4 27/32" Outside dia., 7"W, CW, 1/2" bore	1	2-6011
7 1/8" Outside dia., 4"W, CCW, 1/2" bore	2	2-6088

B1

HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



6050B2000



96407124



96407124



561100LF-001



WhisperLife™

Panasonic



STELPRO
988 comfort

BFN050/070

Circulator Pumps & Circulator Valve

Description	Qty Available	Part Number
Bell & Gossett ecocirc® Auto - 115V, 60 Watts Max, 2 bolt flange for use with 3/4", 1", 1 1/4", or 1 1/2" pipe, 18 max foot/head, 14 GPM	1	6050B2000 (ecocirc19-14auto)
Bell & Gossett Three-Piece Series Cast Iron Circulator HVNFI, 1/6 HP, 115V, 1 Phase, 12 foot/head, 40 GPM	1	102210
Grundfos UPS80-160/2 Circulator - Cast Iron, 3 Phase, 460V, Multi-Speed	1	96407124
Armstrong Astro Express Valve - Lead-free brass, 100% flow adjustment, equipped with check valve, threaded connections, 1/2" hot & cold inlets, 3/8" hot & cold outlets	2	561100LF-001

Compressors (Copeland)

Description	Qty Available	Part Number
Single Phase - Fits R22 10 SEER 38,200 BTU, 208/230V, Fits: FS3BA042KA	1	912958
Single Phase - Fits R22 10 SEER, 58,300 BTU, 208/230V	1	911250
Single Phase - Fits R22 13 SEER 25,300 BTU, 208/230V, Fits: FS5BD030KA	1	921046
Three Phase, 32,000 BTU, 200/230V	2	912967
Three Phase, 35,000 BTU, 200/230V	2	913944
Three Phase, 41,900 BTU, 200/230V	3	912962
Three Phase (Tecumseh) 46,000 BTU, 200/230V	1	912777

Contactors, Definite Purpose (Honeywell)

Description	Qty Available	Part Number
2 Pole, Small Frame, 240 V, 30 Amps	1	DP2030C5003

Fans

Description	Qty Available	Part Number
Panasonic Bath Fans		
WhisperLife™ Fan/Light <0.3 Sones, 80 CFM, 4" & 6" Duct, 120V	1	FV08VQL6
WhisperLife™ Fan/Light 0.5 Sones, 110 CFM, 4" & 6" Duct, 120V	5	FV11VQL6
WhisperCeiling™ Fan 1.3 Sones, 190 CFM, 6" Duct, 120V	1	FV20VQ3
Stelpro Bath Fans		
3 Series - Single Speed, 3 Sones, 50 CFM, 3" Duct, 120V, 46 Sq. Ft. Capacity	4	BFN050
3 Series - Single Speed, 5.5 Sones, 70 CFM, 3" Duct, 120V, 65 Sq. Ft. Capacity	9	BFN070
3 Series - Single Speed, 2.5 Sones, 90 CFM, 4" Duct, 120V, 85 Sq. Ft. Capacity	5	BFN090

HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



Electric Furnace (Stelpro)


Description	Qty Available	Part Number
Modulating, 10/7.5 KW, 240/208V, 4 Speed	2	SFE1021

Gas Valve (Honeywell)

Description	Qty Available	Part Number
Millivolt, Natural Gas Valve 3/4", 335,000 BTUH, Step Opening	1	VS820C1100

Hot Surface Igniters

Description	Qty Available	Part Number
Silicone Nitride Kit - Universal Replacement, Robertshaw/Starlite/White Rodgers, 120V w/8" leads,	3	SN5090
Hot Surface Ignitor	1	1056
Robertshaw Silicon Nitride, 41-407, IGN30, 271M, 11120-100-1407, L37-814, B144676P02, 661926, SIG- 407. Use with Select Models of Amana, Barnett Brass, Starlite, Trane	1	41-407N
Robertshaw OEM Replacement - Amana, Eaton, Norton, Repair Clinic, Supco, Trane, Uni-Line, White Rodgers	1	41-410



Humidifier & Humidistats

Description	Qty Available	Part Number
Honeywell TrueEASE™ Large Bypass Basic: 17 GPD Output, 1:4 Delivery Rate, Up to 20,000 cubic feet	2	HE200C1001
GeneralAire Manual Humidistat	33	GF-MHX3



Motors

Description	Qty Available	Part #
AO Smith DD Blower Motor - 5.0" Dia, 1/8HP, 2 speed, 1050 rpm, 115V, 4.8 Amps. Open Vent.	1	346
OEM Direct Replacement Heil-Quaker/LC.P. OEM Heil-Quaker #KA55FYEPZZ998 1/2 HP, 4 Speed, 1050 rpm, 115V	1	OHQ1056



346

HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



Motors			
Description	Qty Available	Part #	
FASCO Motors			
Blower - 3.3" Dia, SP, 1/25 HP, 115V, 3200 RPM, 1 SPD, 1.3 Amps. Rheem Replacement.	1	A086	
Blower - 3.3" Dia, PSC, 1/25 HP, 115V, 3450 RPM, 1 SPD, 0.7 Amps. York Replacement.	1	A137	
Centrifugal Blower - 3.3" Dia, SP, 1/40 HP, 230V, 1550 RPM, 1 SPD, 0.5 Amps. Fedders Replacement.	1	A159	
Draft Inducer Blower - 1/15 HP, 115V, 5200 RPM, 1.30 Amps. Trane Replacement.	1	A190	
Blower - 3.3" Dia, SP, 1/25 HP, 115V, 3000 RPM, 1 SPD, 1.15 Amps. Amana Replacement.	1	A287	
Blower - 3.3" Dia, PSC, 1/30 HP, 208-230V, 3350/2900 RPM, 2 SPD, 0.3 Amps. Intercity Replacement.	1	A306	
General Purpose - 3.3" Dia, SP, 1/40-1/50-1/80 HP, 115V, 1500 RPM, 3 SPD, 1.3-.9-.6 Amps. 4 x 5/16 x 4 shaft dim. Open Vent.	1	D128	
Direct Drive Blower - 5.0" Dia, SP, 1/8-1/11 HP, 115V, 1050 RPM, 2 SPD, 4.5-3.4 Amps. 1/2 x 4 shaft dim. Open Vent.	1	D180	
General Purpose - 3.3" Dia, SP, 1/20 HP, 230V, 1500 RPM, 1 SPD, 0.9 Amps. 5/16 x 2 1/4 shaft dim. Open Vent.	1	D189	
General Purpose - 3.3" Dia, SP, 1/85 HP, 115V, 3000 RPM, 1 SPD, .6 Amps, 1/4 x 2 1/4 shaft dim. Open Vent.	1	D202	
Window A/C - 3.3" Dia, PSC, 1/15-1/20-1/35 HP, 115V, 1550 RPM, 3 SPD, 1-.8-.6 Amps, 2 3/4 x 5/16 x 2 3/4 shaft dim. TE.	2	D323	
Window A/C - 3.3" Dia, SP, 1/10-1/30 HP, 115V, 1550 RPM, 2 SPD, 2.5-2.3 Amps, 1 3/4 x 5/16 x 2 3/8 shaft dim. Open Vent.	1	D325	
Window A/C - 3.3" Dia, SP, 1/14-1/25 HP, 115V, 1550 RPM, 2 SPD, 2.5-1.5 Amps, 6 3/8 x 5/16 x 6 3/8 shaft dim. Open Vent.	1	D366	
General Purpose - 3.3" Dia, PSC, 1/10 HP, 115V, 3000 RPM, 1 SPD, 1.4 Amps, 5/15 x 3 1/4 shaft dim. Open Vent.	1	D405	
3.3" Dia, Hubless Fan Drive, SP, 4 Watts, 115V, 1550 RPM, 1 SPD, .29 Amps, 1/4" threaded shaft. TEAO.	1	D420	
General Purpose - 3.3" Dia, SP, 1/30-1/112 HP, 115V, 1500 RPM, 2 SPD, 1.4-.8 Amps, 5/16 x 2 1/4 shaft dim. Open Vent.	1	D532	
3.3" Dia, SP, 1/100 HP, 115V, 1500 RPM, 1 SPD, .6 Amps, 1/4 x 2 1/4 shaft dim. TEAO.	1	D541	
Condenser Fan - 5.6" Dia, PSC, 1/3 HP, 208-230V, 825 RPM, 1 SPD, 2.6 Amps, 1/2 x 6 shaft dim. Open Vent.	1	D791	
Window A/C - 3.3" Dia, SP, 1/18-1/30 HP, 115V, 1330 RPM, 2 SPD, 2.4-1.6 Amps, 3 1/8 x 5/16 x 2 3/8 shaft dim. TE. Whirlpool 5000-8000 btu units.	1	D1111	
Flue Exhaust/Draft Booster - 3.3" Dia, SP, 1/20 HP, 115V, 3300 RPM, 1 SPD, 1.9 Amps, 5/16 x 2 1/8 shaft dim. Bryant/Carrier OEM.	1	D1180	

HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



D1193

D7745



D7749

K102



K628



LEESON Farm Duty



LEESON General Purpose



Mars Azure™



08502

Motors

Description	Qty Available	Part #
FASCO Motors Continued		
3.3" Dia, PSC, 1/16 HP, 208-230V, 3450 RPM, 1 SPD, 0.57 Amps, 5/16 x 3 1/3 shaft dim. Open Vent. Carrier OEM.	1	D1182
Flue Exhaust/Draft Booster - 3.3" Dia, SP, 1/22 HP, 115V, 3000 RPM, 1 SPD, 1.2 Amps, 5/16 x 2 1/3 shaft dim. Open Vent.	1	D1193
Condenser Fan - 5.6" Dia, PSC, 1/2 HP, 208-230V, 1075 RPM, 1 SPD, 3.7 Amps, 1/2 x 6 1/2 shaft dim. Open Vent.	2	D7745
Condenser Fan - 5.6" Dia, PSC, 1/4 HP, 208-230V, 1075 RPM, 1 SPD, 1.7 Amps, 1/2 x 6 1/2 shaft dim. Open Vent.	1	D7749
FASCO C-Frame Skeleton Motors		
SP, 1/500 HP, 120V, 1100 RPM, 1 SPD, 0.57 Amps, .181x1.5 shaft dim. Fasco 2435 OEM.	1	K102
SP, 1/200 HP, 208-230V, 3000 RPM, 1 SPD, 0.25 Amps, 1/4x1 1/2 shaft dim. Rheem Ruud OEM.	2	K628
LEESON Motors		
Farm Duty - General Purpose - Single Phase - TEFC - Rigid Base		
56 Frame, 1/2 HP, 115/208-230, 1800 RPM, 5/8" shaft dia. 4.4 Full Load Amps @ 230V	3	11008600
56 Frame, 1/3 HP, 115/208-230, 1800 RPM, 5/8" shaft dia. 3.2 Full Load Amps @ 230V	1	11325600
143T Frame, 1 HP, 115/208-230, 1800 RPM, 7/8" shaft dia. 4.2 Full Load Amps @ 230V	1	12197300
General Purpose - Single Phase - ODP - Rigid Base		
S56 Frame, 1/2 HP, 115/208-230, 1800 RPM, 5/8" shaft dia. 4.4 Full Load Amps @ 230V	1	10000200
S56 Frame, 3/4 HP, 115/208-230, 1800 RPM, 5/8" shaft dia. 5.4 Full Load Amps @ 230V	1	10000300
General Purpose - Three Phase - TEFC - Rigid Base		
56 Frame, 1/2 HP, 208-230/460, 1800 RPM, 5/8" shaft dia. 2.0 Full Load Amps @ 230V	1	M009032
56H Frame, 2 HP, 208-230/460, 1800 RPM, 7/8" shaft dia. 6.2 Full Load Amps @ 230V	1	11302600
145T Frame, 2 HP, 208-230/460, 1800 RPM, 7/8" shaft dia. 5.8 Full Load Amps @ 230V	2	17164700
182T Frame, 3 HP, 208-230/460, 1800 RPM, 1 1/8" shaft dia. 7.8 Full Load Amps @ 230V	1	17132000
General Purpose - Three Phase - ODP - Rigid Base		
S56 Frame, 1/2 HP, 208-230/460, 1800 RPM, 5/8" shaft dia. 2.0 Full Load Amps @ 230V	1	10002900
56 Frame, 1 HP, 208-230/460, 1800 RPM, 5/8" shaft dia. 4.2 Full Load Amps @ 230V	1	11002900
Mars Azure™ Direct Drive Blower Motors & Accessories		
1/2-1 HP, 115/230V, 1075 RPM, Reversible	1	10861
Digital hand held programmer for Azure motors	1	08502
Surge protector for Azure motors	1	05593

HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



O4-R5109



M5-T2



AMX101-US-1LF



V135A



AQ475A1004



T6031A1235



TS812A

Motors

Description	Qty Available	Part Number
Rotom Motors		
Unit Bearing - Totally Enclosed - 51 Frame 3.5" Dia, 2W, 0.25 Amps, 115V, CW, 1550 RPM, hubless shaft	4	O4-R5109
General Purpose - 3 Phase - ODP - Resilient Base S56 Frame, 1/2 HP, 200-230/460, 1725 RPM, 5/8" shaft dia. 2.0 Full Load Amps @ 230V	1	M5-T2110
General Purpose - 3 Phase - ODP - Resilient Base S56 Frame, 3/4 HP, 200-230/460, 1725 RPM, 5/8" shaft dia. 2.8 Full Load Amps @ 230V	2	M5-T2118
General Purpose - 3 Phase - ODP - Resilient Base 56H Frame, 1 HP, 200-230/460, 1725 RPM, 5/8" shaft dia. 4.2 Full Load Amps @ 230V	1	M5-T2130
General Purpose - 3 Phase - ODP - Resilient Base 56H Frame, 2 HP, 200-230/460, 1725 RPM, 5/8" shaft dia. 6.2 Full Load Amps @ 230V	1	M5-T2158

Mixing Valves

Description	Qty Available	Part Number
3/4" DirectConnect™ Mixing Valve, 90-130°F Temp Range	1	AMX101-US-1LF
Three-way 3/4" Thermostatic Mixing/Diverting Valve, 248°F Max Temp Range	6	V135A1006

Temperature Controllers - Honeywell

Description	Qty Available	Part Number
Outdoor Temperature Compensator for Boilers, Boiler Control Temp: Supply--Max: 120°F to 225°F; Min: OFF, 80°F to 180°F	1	AQ475A1004
Provides limit or temperature control in refrigerated areas where remote mounting of sensing element is required. -35C to +30C Set Point, 1 SPDT, 6.1 m Capillary Length, 1.9C to 8.9C Differential, Celsius Model	1	T6031A1235

Thermostats

Description	Qty Available	Part Number
Johnson Controls Mechanical - Cool Only, Rated for 120, 208, 240V, "Off-Hi-Med-Low" SPDT switch. Non- Programmable.	2	T28BD-1C
Honeywell Heat Only, Square Thermostat, w/pos off switch	1	TS812A1007


HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



Tools & Miscellaneous Service Items		
Description	Qty Available	Part Number
Industrial 2D Swivel- Lite™ Flashlight, Krypton bulb with spare bulb holder, 90° swivel, stand up base	5	7-ISL2D-B
Extendable Magnetic Flashlight - LED 6"-21" telescoping flexible shaft	2	79479
Gallo Gun, lightweight portable tool designed to blow out drain lines instantly, 800 psi of oil free food grade air clears the line	3	GG-1
CPS Spring Tube Bender, 5/16"	4	TBS05



TBS05 Spring Tube Bender



HVAC, HYDRONIC, IAQ & MOTOR PRODUCTS



Valves		
Description	Qty Available	Part Number
Watts Pressure Safety Relief Valve, 1 1/4" - 1,682,000 BTU @ 30 psi	1	174A11/4-60
Solenoid Valve body	1	7322HBN2SV00

Water Heater Parts		
Description	Qty Available	Part Number
Camco water heater element, 1500W, 240V, 8" min. tank diameter	12	03123
Camco water heater element, 2000W, 120V, 8" min. tank diameter	10	03183
Camco water heater element 1000W, 240V, 8" min. tank diameter	9	04323
Camco dry water heater element, 1500W, 120V, 12 3/4" min. tank diameter	11	05741
Caloritech 1" Non-tapered Brass plug, 3000W, 240V, 11 1/4" element length	1	CXC10642-30
Camco Runoff Tube, thermoplastic polypropylene, Top mount	6	10952
Camco Runoff Tube, thermoplastic polypropylene, Center Top Mount	2	10962

03123

10952

10962



CALGARY

6 - 2320 35 Ave NE

Phone: 403-244-2161

Toll Free: 800-661-1346

Fax: 403-228-1998

cgyorders@daviessg.com

LETHBRIDGE

2 - 1710 36 Street N

Phone: 403-381-7707

Toll Free: 877-595-7707

Fax: 403-381-7717

laorders@daviessg.com

SASKATOON

602 48 Street E

Phone: 306-933-2433

Toll Free: 877-355-3377

Fax: 306-242-5424

skorders@daviessg.com

www.daviessg.com